


## **PERMASTOP** | PRODUCT INFORMATION & BENEFITS

# PERMASTOP

## CRYSTALLINE WATERPROOFING **TREATMENT**



A cement-based mixture containing chemicals which combine with the water in cement & migrate into the concrete or cement plaster thereby effectively waterproofing the structure against hydrostatic pressure. For slurry coatings 8 plugging holes. For solving most types of waterproofing problems in belowground & water-containing structures that contain OPC.

#### SUITABLE SURFACES

Must be in contact with the cement / concrete to be

#### **FINISH**

Brushed finish unless plaster is applied over it.

#### APPLICATION Brush-on.

In hot, dry conditions, cure completed work by dampening with clean water three times during the day following the day of application. Protect against freezing for 24 hours. Protect from direct sun and wind by covering with plastic or wet hessian for 24 hours.

#### **PACKAGING**

1, 5 & 25kg containers.

Brush application: Approximately 1,3m<sup>2</sup>/kg/coat depending upon suction and texture of surface.

Joint filling: Depends on size of joint.

With polypropylene membrane: Approximately 3kg/ m<sup>2</sup>.


APPEARANCE / COLOUR(S) Grey - can supply white upon request.




Waterproofing cellars 8 rising damp



Waterproofing sewers, fish ponds & reservoirs



Waterproofing flowerboxes



Water-repellent cement in plaster

Permastop

Polypropylene Membrane

#### **BENEFITS**

- Resists extreme hydrostatic pressure from both the positive & negative side of the substrate
- Resistant to aggressive chemicals i.e. oil, salt water, alkalis, certain chemicals, weak acids & aggressive sulphate soils
- Self-mending when punctured or torn & is not subject to deterioration, it is thus therefore permanent
  - Does not require protection when backfilling
    - Can be applied to moist surfaces
    - Can seal static hairline cracks
  - Increases the strength of concrete by up to 30% dependent on quality of original concrete
    - Waterproof but not vapour proof
      - No VOC's
    - Can seal gushing leaks in conjunction with Cemcrete's Permastop Accelerator

# 0860 CEMCRETE

info@cemcrete.co.za www.cemcrete.co.za





Pi



### **HEAD OFFICE**

Showroom & Warehouse & Telford Street Industria (011) 474 2415 info@cemcrete.co.za

#### **GAUTENG**

#### Johannesburg Showroom

227 Jan Smuts Avenue Parktown North (011) 447 3149 jsa@cemcrete.co.za

#### Centurion Showroom & Warehouse

15 Coachmen's Park 26 Jakaranda Street Centurion (012) 653 6808 pretoria@cemcrete.co.za

#### **CAPE TOWN**

#### Showroom & Warehouse

Unit 3 Eagle Park cnr Bosmansdam & Omuramba Roads Montague Gardens (021) 555 1034 cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.



Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes as you are.